

EAST SEARCH

9/10/05

			Databases
L#	Hits	Search String	
S1	1142	(terminal with software with request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S2	274	(terminal with software with deliver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S3	274	(terminal\$1 with software with deliver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S4	45	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S5	3524	(client\$1 with software with request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S6	671	(client\$1 with software with deliver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S7	206	S5 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S8	246	S4 or S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S9	96	S8 and ((client\$1 or terminal\$1) with configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S10	22	S8 and ((client\$1 or terminal\$1) with emulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S11	17	S8 and ((client\$1 or terminal\$1) with (wireless near2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S12	21	S8 and ((client\$1 or terminal\$1) with ("set top" or settop) near2 box\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S13	43	S8 and ((client\$1 or terminal\$1) with mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S14	27	S8 and (validat\$3 with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S15	40	S8 and ((client\$1 or terminal\$1) with (access near2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S16	8	S8 and ((client\$1 or terminal\$1) with (manufactur\$3 with configuration\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S17	105	S8 and ((source\$1 or provider\$1) with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S18	29	S8 and ((deliver\$1 or provide\$1) with software with control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S19	9	S8 and ((source\$1 or provider\$1) with software with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S20	15	S8 and ((source\$1 or provider\$1) with software same database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S21	34	S8 and ("user profile")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S22	28	S8 and ((client\$1 or terminal\$1) with (manufactur\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S23	7	S8 and ((client\$1 or terminal\$1) with (network near2 operator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S24	61	S8 and ((data or information or detail\$1) with software with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S25	135	S10 or S11 or S12 or S13 or S14 or S15 or S16 or S18 or S19 or S20 or S21 or S22 or S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S26	165	S9 or S17 or S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S27	100	S25 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S28	135	S25 or S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S29	743	(terminal\$1 with software with distribut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S30	2281	(client\$1 with software with distribut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S31	107	S1 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S32	530	S5 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S33	623	S31 or S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S34	226	S33 and ((client\$1 or terminal\$1) with configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S36	24	S33 and ((client\$1 or terminal\$1) with (wireless near2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S37	20	S33 and ((client\$1 or terminal\$1) with ("set top" or settop) near2 box\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

S38	83	S33 and ((client\$1 or terminal\$1) with mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S39	73	S33 and (validat\$3 with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S40	88	S33 and ((client\$1 or terminal\$1) with (access near2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S41	8	S33 and ((client\$1 or terminal\$1) with (manufactur\$3 with configuration\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S42	213	S33 and ((source\$1 or provider\$1) with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S43	37	S33 and ((deliver\$1 or provider\$1) with software with control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S44	43	S33 and ((source\$1 or provider\$1) with software with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S45	64	S33 and ((source\$1 or provider\$1) with software same database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S46	71	S33 and ("user profile")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S47	68	S33 and ((client\$1 or terminal\$1) with (manufactur\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S48	12	S33 and ((client\$1 or terminal\$1) with (network near2 operator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S49	143	S33 and ((data or information or detail\$1) with software with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S50	138	S35 or S36 or S37 or S41 or S43 or S44 or S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S51	294	S38 or S39 or S40 or S45 or S46 or S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S52	92	S50 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S53	397	S34 or S42 or S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S54	118	S50 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S55	138	S50 or S52 or S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S56	137	S55 and (emulat\$3 or ("set top" or settop) near2 box\$2) or validat\$3 or (manufactur\$3 with co	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S57	135	S55 and (emulat\$3 or ("set top" or settop) near2 box\$2) or validat\$3 or (manufactur\$3 with co	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S58	32	S33 and ((client\$1 or terminal\$1) with emulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S59	33	S55 and (validat\$3 with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S60	1142	(terminal with software with request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S61	274	(terminal with software with deliver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S62	45	S59 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S63	3524	(client\$1 with software with request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S64	672	(client\$1 with software with deliver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S65	206	S62 and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S66	246	S61 or S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S67	96	S65 and ((client\$1 or terminal\$1) with configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S68	22	S65 and ((client\$1 or terminal\$1) with emulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S69	17	S65 and ((client\$1 or terminal\$1) with (wireless near2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S70	21	S65 and ((client\$1 or terminal\$1) with ("set top" or settop) near2 box\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S71	43	S65 and ((client\$1 or terminal\$1) with mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S72	27	S65 and (validat\$3 with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S73	40	S65 and ((client\$1 or terminal\$1) with (access near2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S74	8	S65 and ((client\$1 or terminal\$1) with (manufactur\$3 with configuration\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S75	105	S65 and ((source\$1 or provider\$1) with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S76	29	S65 and ((deliver\$1 or provider\$1) with software with control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S77	9	S65 and ((source\$1 or provider\$1) with software with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S78	15	S65 and ((source\$1 or provider\$1) with software same database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S79	34	S65 and ("user profile")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
	28	S65 and ((client\$1 or terminal\$1) with (manufactur\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

S81	61	S65 and ((data or information or detail\$1) with software with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S82	135	S67 or S68 or S69 or S70 or S71 or S72 or S73 or S75 or S76 or S77 or S78 or S79 or S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S83	165	S66 or S74 or S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S84	100	S82 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S86	744	(terminal\$1 with software with distribut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S87	2283	(client\$1 with software with distribut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S88	107	S59 and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S89	530	S62 and S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S90	623	S88 or S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S91	226	S90 and ((client\$1 or terminal\$1) with configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S92	32	S90 and ((client\$1 or terminal\$1) with emulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S93	24	S90 and ((client\$1 or terminal\$1) with (wireless near2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S94	20	S90 and ((client\$1 or terminal\$1) with ("set top" or settop) near2 box\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S95	83	S90 and ((client\$1 or terminal\$1) with mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S96	73	S90 and (validat\$3 with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S97	88	S90 and ((client\$1 or terminal\$1) with (access near2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S99	213	S90 and ((source\$1 or provider\$1) with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S100	37	S90 and ((deliver\$1 or provides\$1) with software with control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S101	43	S90 and ((source\$1 or provider\$1) with software with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S102	64	S90 and ((source\$1 or provider\$1) with software same database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S103	71	S90 and ("user profile")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S104	68	S90 and ((client\$1 or terminal\$1) with (manufactur\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S106	143	S90 and ((data or information or detail\$1) with software with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S107	138	S92 or S93 or S94 or S98 or S100 or S101 or S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S108	294	S95 or S96 or S97 or S102 or S103 or S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S109	92	S107 and S108	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S110	397	S91 or S99 or S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S111	118	S107 and S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S112	138	S107 or S109 or S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S114	135	S113 and (emulat\$3 or ("set top" or settop) near2 box\$2) or validat\$3 or (manufactur\$3 with c	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S85	135	S82 or S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S115	24	6,266,774.pn. or "20020066094" or "6,170,060".pn. or20020042829 or "20020066109" or "20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S113	138	S107 or S109 or S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S98	8	S90 and ((client\$1 or terminal\$1) with (manufactur\$3 with configuration\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S116	8	S90 and (manufacturer with configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S80	7	S65 and ((client\$1 or terminal\$1) with (network near2 operator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S105	12	S90 and ((client\$1 or terminal\$1) with (network near2 operator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S117	10	S105 and (network with information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S118	1240	(terminal with software with request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S119	303	(terminal\$1 with software with deliver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S120	1495	S118 or S119	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S121	3975	(client\$1 with software with request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S122	742	(client\$1 with software with deliver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

US 20040266523 A1	Secured networks in a gaming system environment	20041230 463/29
US 20040259640 A1	Layered security methods and apparatus in a gaming system environment	20041223 463/42
US 20040259633 A1	Remote authentication of gaming software in a gaming system environment	20041223 463/29
US 20040204964 A1	Method and apparatus for importing healthcare related information from a physician office management system	20041014 705/2
US 20040158788 A1	Method for functional verification of an integrated circuit model in order to create a verification model	20040812 714/741
US 20040133518 A1	Method and system for enhancing local media content with remote auxiliary content	20040708 705/50
US 20040124246 A1	SYSTEM AND METHOD FOR VALIDATING AND OPERATING AN ACCESS CARD	20040701 235/492
US 20040117376 A1	Method for distributed acquisition of data from computer-based network data sources	20040617 707/10
US 20040049561 A1	Reconfiguration management architectures for mobile communication systems	20040311 709/220
US 20030217363 A1	Method for controlling an in-flight entertainment system	20031120 725/76
US 20030212642 A1	Online payer authentication service	20031113 705/67
US 20030210789 A1	Data transmission links	20031113 380/270
US 20030172278 A1	Data transmission links	20030911 713/176
US 20030140256 A1	Wireless local communication network, access control method for a wireless local communication network	20030724 713/201
US 20030078916 A1	Method and apparatus for allowing host application data to be accessed via standard database	20030424 707/3
US 20030016237 A1	System for and method of emulating a database system	20030123 715/700
US 20030014476 A1	Thin client computer operating system	20030116 709/203
US 20020194138 A1	Online account authentication service	20021219 705/64
US 20020184536 A1	Method and apparatus for brokering and provisioning of windows	20021205 713/202
US 20020178299 A1	System, method and apparatus to allow communication between CICS and non-CICS software	20021128 719/320
US 20020169972 A1	Information storage medium, information processing system, content distribution server, method and system for registry flying in a network	20021114 713/193
US 20020165945 A1	Method and system for controlling access to a telecommunication or internet system	20021107 709/221
US 20020162008 A1	Method for automatically classifying traffic with enhanced hierarchy in a packet communication system	20021031 713/200
US 20020143939 A1	Method for automatically classifying traffic with enhanced hierarchy in a packet communication system	20021003 709/224
US 20020137615 A1	Order-receiving and delivery system for packaging medium	20020926 493/29
US 20020111919 A1	Online payer authentication service	20020815 705/67
US 20020062312 A1	Method and apparatus for creating extractors, field information objects and inheritance hierarchy	20020523 707/3
US 20020062222 A1	Method for creating an information closure model	20020523 705/1
US 20020055998 A1	Method for automatically classifying traffic in a pocket communications network	20020509 709/224
US 20020040346 A1	Computer system and method for on-line generating a password protected and barcode prepared document	20020404 705/51
US 20020038331 A1	Method and apparatus for flash load balancing	20020328 718/105
US 20020016817 A1	Telecommunication network, method of operating same, and terminal apparatus therein	20020207 709/203
US 20020013831 A1	System having mobile terminals with wireless access to the internet and method for doing same	20020131 709/220
US 6934848 B1	Technique for handling subsequent user identification and password requests within a certificate	20050823 713/182
US 6854006 B1	System and method for merging web based on-demand SNA application selection and TN327	20050208 709/203
US 6847969 B1	Method and system for providing personalized online services and advertisements in public space	20050125 707/100
US 6807451 B2	Secure order-receiving, designing, manufacturing and delivery system for a packaging medium	20041019 700/97
US 6776332 B2	System and method for validating and operating an access card	20040817 235/380
US 6694436 B1	Terminal and system for performing secure electronic transactions	20040217 726/9
US 6640244 B1	Request batcher in a transaction services patterns environment	20031028 709/207
US 6615199 B1	Abstraction factory in a base services pattern environment	20030902 706/50
US 6601192 B1	Assertion component in environment services patterns	20030729 714/38
US 6591299 B2	Method for automatically classifying traffic with enhanced hierarchy in a packet communication system	20030708 709/224

US 6578068 B1	Load balancer in environment services patterns	20030610 709/203
US 6571282 B1	Block-based communication in a communication services patterns environment	20030527 709/219
US 6571243 B2	Method and apparatus for creating extractors, field information objects and inheritance hierarchy	20030527 707/6
US 6549949 B1	Fixed format stream in a communication services patterns environment	20030415 709/236
US 6539378 B2	Method for creating an information closure model	20030325 707/5
US 6496850 B1	Clean-up of orphaned server contexts	20021217 709/203
US 6477580 B1	Self-described stream in a communication services patterns environment	20021105 709/231
US 6457051 B1	Method for automatically classifying traffic in a packet communications network	20020924 709/224
US 6438594 B1	Delivering service to a client via a locally addressable interface	20020820 709/225
US 6412000 B1	Method for automatically classifying traffic in a packet communications network	20020625 709/224
US 6362836 B1	Universal application server for providing applications on a variety of client devices in a client/server	20020326 715/744
US 6285658 B1	System for managing flow bandwidth utilization at network, transport and application layers in a	20010904 370/230
US 6205120 B1	Method for transparently determining and setting an optimal minimum required TCP window size	20010320 370/235
US 6185619 B1	Method and apparatus for balancing the process load on network servers according to network	20010206 709/229
US 6175920 B1	Expedited message control for synchronous response in a Kerberos domain	20010116 713/150
US 6128662 A	Display-model mapping for TN3270 client	20001003 709/228
US 6055639 A	Synchronous message control system in a Kerberos domain	20000425 726/10
US 6046980 A	System for managing flow bandwidth utilization at network, transport and application layers in a	20000404 370/230
US 6018516 A	Method for minimizing unneeded retransmission of packets in a packet communication environment	20000125 370/231
US 6009175 A	Asynchronous message system for menu-assisted resource control program	19991228 713/155
US 6003136 A	Message control system for managing message response in a Kerberos environment	19991214 726/10
US 6002864 A	Host addresses a client device using permanent name provided by the client device without re	19991214 703/23
US 5987428 A	Point-of-sale system including isolation layer between client and server software	19991116 705/21
US 5978855 A	Downloading applications software through a broadcast channel	19991102 709/249
US 5963949 A	Method for data gathering around forms and search barriers	19991005 707/100
US 5878429 A	System and method of governing delivery of files from object databases	19990302 707/103R
US 5848261 A	System and method for remote printer emulation in a network	19981208 703/23
US 5768539 A	Downloading applications software through a broadcast channel	19980616 709/249
US 5757925 A	Secure platform independent cross-platform remote execution computer system and method	19980526 709/203
US 5742746 A	Character output control method and apparatus for terminal	19980421 358/1.16
US 5732219 A	Computer system and computer-implemented process for remote editing of computer files	19980324 709/227
US 5530899 A	Archival and retrieval system accessing an external storage by polling internal queues from rem	19960625 710/17
US 5485370 A	Home services delivery system with intelligent terminal emulator	19960116 709/217
US 5274810 A	Dynamic control of program execution order on a personal computer	19931228 718/101
JP 2000148620 A	SERVER-CLIENT SYSTEM	20000530
WO 200250673 A	Software delivery apparatus for mobile terminal, has emulator operating in accordance with co	20020627
US 6002864 A	Communication establishing method for computer network	19991214
EP 430708 A	Server extension for remote terminal emulation - intercepts input and events and output protoc	19921021

EAST SEARCH

9/10/05

Databases

L#	Hits	Search String	Databases
S118	1240	(terminal with software with request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S119	303	(terminal\$1 with software with deliver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S120	1495	S118 or S119	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S121	3975	(client\$1 with software with request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S122	742	(client\$1 with software with deliver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S123	4499	S121 or S122	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S124	5758	S120 or S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S125	46	S124 and (terminal with emulat\$3 with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S126	35	S124 and (terminal with validat\$3 with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S127	92	S124 and ((host or server or "service provider") with validat\$3 with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S128	55	S124 and ((host or server or "service provider") with emulat\$3 with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S130	35	S124 and ((host or server or "service provider") with validat\$3 with terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S131	196	S125 or S126 or S127 or S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S132	228	S124 and ((host or server or "service provider") with terminal with (configuration or identification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S133	1583	S124 and ((host or server or "service provider") with software with (deliver\$3 or provid\$3 or soft	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S134	222	S124 and ((host or server or "service provider") with software with terminal with (deliver\$3 or pi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S135	63	S132 and S134	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S136	278	703/24.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S137	9	S136 and (terminal with emulat\$3 with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S138	0	S136 and (terminal with validat\$3 with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S139	0	S136 and ((host or server or "service provider") with validat\$3 with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S140	25	S136 and ((host or server or "service provider") with emulat\$3 with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S141	8	S136 and ((host or server or "service provider") with emulat\$3 with terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S142	0	S136 and ((host or server or "service provider") with validat\$3 with terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S143	36	S137 or S138 or S139 or S140 or S141 or S142	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S129	88	S129 or S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S145	56	S124 and ((host or server or "service provider") with emulat\$3 with terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S146	3262	S124 and ((host or server or "service provider") CLM.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S147	60	S124 and (emulat\$3.CLM.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S148	950	S124 and (terminal.CLM.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S149	13	S145 and S146 and S147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
	2	5,926,631.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

Interference search.

EAST SEARCH

9/10/05

Results of search set S47

Document Kind	Codes Title	Issue Date	Current OR	Abstract
US 20050169260 A1	METHODS, SYSTEMS, AND STORAGE MEDIUMS FOR PROVIDING DATABASE MANAGE	20050804 370/389		
US 20050160150 A1	Apparatus and method for managing and transporting virtual disks over a network to networker	20050721 709/212		
US 20050114595 A1	System and method for emulating operating system metadata to provide cross-platform acces	20050526 711/114		
US 20050049849 A1	Cross-platform virtual tape device emulation	20050303 703/26		
US 20050044030 A1	Order delivery mechanism for use with a trading system	20050224 705/37		
US 20040210433 A1	System, method and apparatus for emulating a web server	20041021 703/24		
US 20040205188 A1	Distributed server functionality for emulated lan	20041014 709/224		
US 20040204964 A1	Method and apparatus for importing healthcare related information from a physician office man	20041014 705/2		
US 20040158788 A1	Method for functional verification of an integrated circuit model in order to create a verification p	20040812 714/741		
US 20040122901 A1	Providing computer presence information to an integrated presence system	20040624 709/206		
US 20040098595 A1	Integrating legacy application/data access with single sign-on in a distributed computing environ	20040520 713/185		
US 20040030668 A1	Multi-protocol storage appliance that provides integrated support for file and block access prot	20040212 707/1		
US 20040015886 A1	Communication terminals	20040122 717/134		
US 20030226110 A1	Method for dynamically generating structured documents	20031204 715/513		
US 20030212716 A1	System and method for analyzing data center enterprise information via backup images	20031113 707/203		
US 20030154244 A1	Method and system to provide flexible HTTP tunnelling	20030814 709/203		
US 20030131061 A1	Transparent proxy server for instant messaging system and methods	20030710 709/206		
US 20030120464 A1	Test system for testing dynamic information returned by a web server	20030626 702/186		
US 20030078916 A1	Method and apparatus for allowing host application data to be accessed via standard database	20030424 707/3		
US 20030061401 A1	Input device virtualization with a programmable logic device of a server	20030327 719/324		
US 20030037178 A1	System and method for emulating network communications between partitions of a computer s	20030220 719/319		
US 20030023864 A1	On-access malware scanning	20030130 726/26		
US 20030016515 A1	Scalable internet engine	20030123 361/796		
US 20030016237 A1	System for and method of emulating a database system	20030123 715/700		
US 20020191575 A1	Method and apparatus for converging local area and wide area wireless data networks	20021219 370/338		
US 20020188434 A1	SYSTEM AND METHOD FOR PROVIDING CROSS-DEVELOPMENT APPLICATION DESIGN	20021212 703/21		
US 20020165971 A1	Method and system for terminating an authentication session upon user sign-off	20021107 709/228		
US 20020111999 A1	System and method for remote control of software and an attached device	20020815 709/203		
US 20020099658 A1	Self-service terminal	20020725 705/43		
US 20020078138 A1	Control system architecture for a multi-component armament system	20020620 709/203		
US 20020059374 A1	Dynamic translation between data network-based protocol in a data-packet-network and intera	20020516 709/204		
US 20020051464 A1	Quality of transmission across packet-based networks	20020502 370/466		
US 6934848 B1	Technique for handling subsequent user identification and password requests within a certificat	20050823 713/182		
US 6823452 B1	Providing end-to-end user authentication for host access using digital certificates	20041123 713/156		
US 6807550 B1	Methods and systems for providing random access to structured media content	20041019 707/201		
US 6801928 B2	Dynamic translation between data network-based protocol in a data-packet-network and intera	20041005 709/203		
US 6708327 B1	System for accessing and testing evaluation modules via a global computer network	20040316 717/125		
US 6606253 B2	Scalable internet engine	20030812 361/796		

US 6604046 B1	High-performance server architecture, methods, and software for spatial data	20030805 701/208
US 6560617 B1	Operation of a standby server to preserve data stored by a network server	20030506 707/204
US 6552721 B1	Graphic data generating apparatus, graphic data generation method, and medium of the same	20030422 345/418
US 6507648 B1	Method and apparatus for prioritizing voice and data in a circuit-switched network	20030114 379/221.07
US 6499036 B1	Method and apparatus for data item movement between disparate sources and hierarchical, ol	20021224 707/103R
US 6466239 B2	Method and apparatus for editing data used in creating a three-dimensional virtual reality envirc	20021015 715/850
US 6452809 B1	Scalable internet engine	20020917 361/796
US 6377255 B1	Pattern data generator, pattern data generating method and its medium	20020423 345/418
US 6343280 B1	Distributed execution software license server	20020129 705/55
US 6262734 B1	Graphic data generating apparatus, graphic data generation method, and medium of the same	20010717 715/850
US 6189041 B1	Next hop resolution protocol cut-through to LANs	20010213 709/238
US 6096096 A	Web-site delivery	20000801 717/175
US 6047319 A	Network terminal server with full API implementation	20000404 709/223
US 6002864 A	Host addresses a client device using permanent name provided by the client device without rec	19991214 703/23
US 5978565 A	Method for rapid recovery from a network file server failure including method for operating co-s	19991102 714/13
US 5848261 A	System and method for remote printer emulation in a network	19981208 703/23
US 5742746 A	Character output control method and apparatus for terminal	19980421 358/1.16
US 5603058 A	Video optimized media streamer having communication nodes received digital data from stora	19970211 710/35
US 5530899 A	Archival and retrieval system accessing an external storage by polling internal queues from ren	19960625 710/17
US 5485370 A	Home services delivery system with intelligent terminal emulator	19960116 709/217
US 5274810 A	Dynamic control of program execution order on a personal computer	19931228 718/101
US 4604686 A	Associative data access method (ADAM) and its means of implementation	19860805 703/25